R4.10.1

主な研究課題・発表代表論文

皮膚科学講座　Dermatology
研究領域　上皮情報解析医科学
教授　下村 裕　Yutaka Shimomura

主な研究課題

・膿疱性乾癬の病態解明
・遺伝性皮膚・毛髪疾患の発症機構の解明
・形成外科領域の新規術式の開発に向けた研究

発表代表論文

1） Takasu H., et al.: Lower Eyelid Reconstruction Using a Myotarsocutaneous Flap while Considering the Superior and Inferior Palpebral Sulci. Plast. Reconstr. Surg. Glob. Open, 10 : e4147, 2022.
2） Asano N., et al.: Characterization of EDARADD gene mutations responsible for hypohidrotic ectodermal dysplasia. J. Dermatol., 48 : 1533-1541, 2021.
3） Yasuno S., et al.: Evidence for a dominant-negative effect of a missense mutation in the SERPING1 gene responsible for hereditary angioedema type I. J. Dermatol., 48 : 1243-1249, 2021.
4） Murata M., et al.: Two cases of severe congenital hypotrichosis caused by compound heterozygous mutations in the LSS gene. J. Dermatol., 48 : 392-396, 2021.
5） Nemer G., et al.: A novel TRAF3IP2 variant causing familial scarring alopecia with mixed features of discoid lupus erythematosus and folliculitis decalvans. Clin. Genet., 98 : 116-125, 2020.
6） Okita T., et al.: Functional studies for a dominant mutation in the EDAR gene responsible for hypohidrotic ectodermal dysplasia. J. Dermatol., 46 : 710-715, 2019.
7） Yasuno S., et al. : Sporadic case of Darier disease caused by a novel splice-site mutation in the ATP2A2 gene. Clin. Exp. Dermatol., 44 : e10-e12, 2019.
8） Okita T., et al. : Two Japanese families with hypohidrotic ectodermal dysplasia: Phenotypic diff erences between affected individuals. J. Dermatol.,46 : e99-e101, 2019.
9） Asano N., et al.: Identification of a novel splice site mutation in the LIPH gene in a Japanese family with autosomal recessive woolly hair. J. Dermatol., 46 : e19-e20, 2019.
10） Yasuno S., et al. : Case of generalized pustular psoriasis that might have progressed from terbinafine-induced acute generalized exanthematous pustulosis. J. Dermatol., 45 : e328-e329, 2018.